

INVENGO MEDIO L40 HF READER AND KIT



FC (E

About Invengo's Medio L40 Compact, Robust and Highly Performant HF Reader and Kit

The Medio L40 Reader provides high detection level performance in a compact and easy to integrate unit. Based on the industry leading Invengo Medio L400 electronics, Medio L40 uses advances in Digital Signal Processing (DSP) and RF Frond End technology to achieve breakthrough performance in read range and read speed.



Invengo — the global RFID technology provider — is a leading developer and manufacturer of high quality, intelligent RAIN RFID and HF/NFC connectivity solutions and consumables (tags & inlays) utilized in the Internet of Things. With a focus on RFID innovation, Invengo has created a leading product line in retail, (industrial) laundry, library, (public) transportation, healthcare, and many other industries.

Invengo Technology Pte. Ltd. (SG) is the International Headquarters of Invengo Information Technology Co. Ltd, listed on Shenzhen Stock Exchange (SZSE: 002161.SZ). Employing over 600 people globally, Invengo is one of the largest publicly traded, RFID / loT oriented companies in the world.

Key Benefits

- · Compact and robust HF reader
- · Highly performant in industrial settings
- 4 RF channels for complex antenna configuration
- Delivered as a kit with cables and accessories



Product Specifications

Electrical

Operating Frequency 13,56 MHz

Chip Compatibility ISO 15693, Invengo C210 and C220,

NXP ICODE I, NXP SLI-L, NXP SLI-S,

ICODE ePC, ICODE UID

Communication Interface Ethernet, USB, RS232

RD Ports 4 (multiplexed)

Antenna Connection SMA

RF Output Power Variable (up to 5W max)

I/O 2 Inputs/OutputsPower Consumption 24 VDC, 1,6 A

Mechanical

Dimensions 235 x 166 x 36 mm

(9.25 x 6.53 x 1.4 in)

Weight 800 g (1.76 lbs)

Operating Temperature 0°C to 55°C (32°F to 131°F)

Reader Casing Bulk Aluminium

Software Invengo Explorer tool

SDK (Win32,.Net, Java)
Standalone Mode

Included in the kit Medio L40 Reader, Serial Cables (1,5

m), USB Cable, Universal power supply pack, (does not include power cord) Phoenix contact connector 8 points

Medio L40 Accesory Kit*

*Sold separately Metallic mounting plate and screws (product reference: DDP15660) optional, Crossed FTP cable, Power

Cords (EU, US) Power supply connector, Coaxial s SMA/BNC& crossed Sub-

d9M/M adaptor

Product reference DDP14861

Additional Information

Featuring RFIDSP technology developed by Invengo, including real-time signal processing algorithm for extracting RFID tag information in noisy background environments, Medio L40 is the ideal reader component to drive your track and trace applications.

Medio L40 is delivered as a kit including a Medio L40 reader, serial cables, a USB cable, a universal power supply pack and a Phoenix contact connector 8 points. Medio L40 is easy to integrate in various environments.

Medio L40 is compatible with Invengo's L400 Reader platform and can be deployed with the same full software suite, guaranteeing a high level of flexibility and straight forward implementation path.

Available with 4 RF channels, Medio 40 reader can manage complex multiple antenna systems or control several single reading points at a time.



APAC

Invengo Technology Pte. Ltd

10 Kallang Avenue #05-15 Tower 2, Aperia Singapore 339510

Office: +65 6702 3909 sales.apac@invengo.com

America

Invengo Technology Corp. 2700-160 Sumner Blvd.

Raleigh, NC 27616 United States of America

Office: +1 919 890 0202 sales.americas@invengo.com

EMEA

Invengo Technologies

180 Voie Ariane – Athélia 1 13600 La Ciotat France

Office: +33 413 96 1111 sales.emea@invengo.com